



CRESTO CROWN ELECTRO

PROTECTIVE HELMET EN397 - EN50365 1000V

- Electrically insulated according to module C2 in EN 397. / EN 50365
- Steering wheel adjustment for smooth size adjustment, fits XS-XXL (53-63cm).
- Quick mounts for accessories

Cresto Crown Electro is an electrically insulated safety helmet used for electrical installations and other tasks that place high demands on the safety of the electrician. As the helmet has no ventilation holes and no conductive parts, it provides protection against electrical shock and prevents electrical current from passing through your head. Crown Electro is approved for electrical work in low voltage environments up to 1000V (AC) and 1500 V (DC).

SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ Tower climber
- ✓ MEWPs
- ✓ Offshore
- ✓ Confined space
- ✓ Scaffolding
- ✓ Rope access
- ✓ Telecom
- ✓ Wind energy

ARTICLES

012263101	Cresto Crown Electro Helmet white
012263103	Cresto Crown Electro Helmet blue
012263102	Cresto Crown Electro Helmet yellow
012263104	Cresto Crown Electro Helmet red
012263105	Cresto Crown Electro Helmet hi-viz

OVERVIEW

Cresto Crown Electro is an electrically insulated safety helmet used for electrical installations and other tasks that place high

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

demands on the electrician's safety. As the helmet has no ventilation holes and no conductive parts, it provides protection against electrical shock and prevents electrical current from passing through your head. Crown Electro is approved for electrical work in low voltage environments up to 1000V (AC) and 1500V (DC).

- Electrically insulated and approved for 1000 VAC
- No electrically conductive parts
- Solid outer shell minimises the risk of accidents
- Integrated quick mounts for accessories
- Adjustable size from XS to XXL

Certified in compliance with EN 397 and EN 50365 standards

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Maximum number of users	1
Minimum working temperature (c)	-30.0
Maximum working temperature (c)	50.0
Material	Polypropylene

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 397:2012+A1:2012, EN 50365
Notified body	2754, ALIENOR-Certificatio, 21 rue Albert Einstein, 86100 Châtellerault France

ANNUAL INSPECTION

Life span	10 years
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Manual languages	Danish (DA), Dutch (NL), English (EN), Finnish (FI), French (FR), German (DE), Norwegian (NO), Swedish (SV)
------------------	---

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE